


76 - FORGED METRIC 12 X 6 POINT ANGLED OPEN-SOCKET WRENCHES





Description :

- Angled socket wrenches: wrenches designed for powerful unlocking.
- 12-point short head for 30° increment and 6-point long head.
- Opening of the short head for passing threaded rods.
- Metric sizes: 6 to 38 mm.
- Presentation: satin chrome finish.



References :

	A [mm]	B [mm]	d [mm]	d1 [mm]	H [mm]	L [mm]	L1 [mm]	[g]	Weight maxi [g]
76.6	6	10,0	4,5	4,5	16	102	21	30	
76.7	7	11,0	4,5	4,5	17	106	22	35	
76.8	8	12,5	7,0	6,0	19	114	25	60	
76.9	9	13,5	7,0	6,0	20	122	26	65	
76.10	10	15,0	8,0	7,0	24	129	28	95	
76.11	11	16,5	8,0	7,0	25	136	30	115	
76.12	12	18,0	9,0	8,0	28	144	36	155	
76.13	13	19,5	9,0	8,0	30	152	38	175	
76.14	14	21,0	10,5	9,0	32	160	40	205	
76.15	15	22,5	10,5	10,0	34	169	42	230	
76.16	16	24,0	13,0	12,0	37	178	46	285	
76.17	17	25,5	13,0	12,0	39	187	48	315	

	A [mm]	B [mm]	d [mm]	d1 [mm]	H [mm]	L [mm]	L1 [mm]	[g]	Weight maxi [g]
76.18	18	26,5	13,0	12,0	40	195	50	365	
76.19	19	28,5	15,0	12,0	41	204	51	430	
76.20	20	29,5	15,0	13,0	43	212	53	440	
76.21	21	30,5	15,0	14,0	46	221	55	490	
76.22	22	32,0	15,0	14,0	48	230	57	535	
76.23	23	33,5	18,0	15,0	51	240	64	625	
76.24	24	34,5	18,0	16,0	54	250	67	660	
76.25	25	36,0	20,0	17,0	56	260	69	785	
76.26	26	37,0	20,0	17,0	57	270	70	795	
76.27	27	38,0	22,0	19,0	58	280	73	950	
76.28	28	39,5	22,0	19,0	60	290	75	950	
76.29	29	41,0	22,0	19,0	62	300	76		1000
76.30	30	42,0	24,0	21,0	64	310	83		1300
76.31	31	43,5	24,0	22,6	70	320	86		1400
76.32	32	44,5	24,0	22,6	74	330	88		1400
76.33	33	46,0	27,0	24,0	79	340	92		1500
76.34	34	47,0	27,0	24,0	80	350	95		1600
76.35	35	48,5	27,0	24,0	81	360	96		1600
76.36	36	49,5	27,0	24,0	82	370	97		1700
76.38	38	52,0	28,0	25,0	85	390	99		2100