

# Certificate



for European Product Safety

Reference No. 1221724

## Switches

Type designation 14001

Certificate holder **ELKO AS**  
Eyvind Lyches vei 10  
1301 Sandvika  
Norway

The product complies with the standard(s) EN 60669-1:1999 and A1+A2

Date of expiry 18 October 2017

EU Directive information *The product satisfies the provisions for CE marking according to the Low Voltage Directive 2006/95/EC.*

Additional information in Appendix.

Certification Body Intertek Semko AB, Product Certification

Place Kista - Stockholm

Signed

  
Bo Berglöf

Date 18 October 2012  
Page 1 of 14



# Intertek Appendix

Reference No. 1221724

## Technical data

Type designation	14001
Rated voltage (V)	16-10x250V AC
Pattern No.	1
Brand name:	ELKO
Product information	Model RS16/1 I, flush type, thermoplastic, screw terminals, with or without claw fixing, with or without pilot lamp, IP20, IP44 when single or double IP44 set is used, RS or PLUS design, all colours.
Type designation	14001
Rated voltage (V)	16-10x250V AC
Pattern No.	5
Brand name:	ELKO
Product information	Model H16/5 P, surface type, thermoplastic, screwless terminals, IP20, IP21 when screen type L3112 is used, RS design, all colours.
Type designation	14001
Rated voltage (V)	16-10x250V AC
Pattern No.	6
Brand name:	ELKO
Product information	Model H16/6 P, surface type, thermoplastic, screwless terminals, IP20, IP21 when screen type L3112 is used, RS design, all colours.
Type designation	14001
Rated voltage (V)	16-10x250V AC
Pattern No.	6.2
Brand name:	ELKO
Product information	Model H16/6.2 P, surface type, thermoplastic, screwless terminals, IP20, IP21 when screen type L3112 is used, RS design, all colours.

*This Certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorized to permit copying or distribution of this certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.*

**Intertek**  
**Appendix***Reference No. 1221724*

<i>Type designation</i>	14001
<i>Rated voltage (V)</i>	16-10x250V AC
<i>Pattern No.</i>	6+6
<i>Brand name:</i>	ELKO
<i>Product information</i>	Model H16/6+6 P, surface type, thermoplastic, screwless terminals, IP20, IP21 when screen type L3112 is used, RS design, all colours.
<i>Type designation</i>	14001
<i>Rated voltage (V)</i>	16-10x250V AC
<i>Pattern No.</i>	7
<i>Brand name:</i>	ELKO
<i>Product information</i>	Model H16/7 P, surface type, thermoplastic, screwless terminals, IP20, IP21 when screen type L3112 is used, RS design, all colours.
<i>Type designation</i>	14001
<i>Rated voltage (V)</i>	16-10x250V AC
<i>Pattern No.</i>	1
<i>Brand name:</i>	ELKO
<i>Product information</i>	Model S16/1 VP, surface type, thermoplastic, screw terminals, IP55, all colours.
<i>Type designation</i>	14001
<i>Rated voltage (V)</i>	16-10x250V AC
<i>Pattern No.</i>	1
<i>Brand name:</i>	ELKO
<i>Product information</i>	Model S16/1impr VP, surface type, thermoplastic, screw terminals, IP55, all colours.
<i>Type designation</i>	14001
<i>Rated voltage (V)</i>	16-10x250V AC
<i>Pattern No.</i>	2
<i>Brand name:</i>	ELKO
<i>Product information</i>	Model S16/2 VP, surface type, thermoplastic, screw terminals, IP55, all colours.

*This Certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorized to permit copying or distribution of this certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.*



Intertek  
Appendix

Reference No. 1221724

Type designation	14001
Rated voltage (V)	16-10x250V AC
Pattern No.	2
Brand name:	ELKO
Product information	Model S16/2impr VP, surface type, thermoplastic, screw terminals, IP55, all colours.
Type designation	14001
Rated voltage (V)	16-10x250V AC
Pattern No.	6
Brand name:	ELKO
Product information	Model RS16/6 I, flush type, thermoplastic, screw terminals, with or without claw fixing, with or without pilot lamp, IP20, IP44 when single or double IP44 set is used, RS or PLUS design, all colours.
Type designation	14001
Rated voltage (V)	16-10x250V AC
Pattern No.	6+6
Brand name:	ELKO
Product information	Model RS16/6+6 P, surface type, thermoplastic, screw terminals, IP20, IP21 when screen type L3112 is used, RS design, all colours.
Type designation	14001
Rated voltage (V)	16-10x250V AC
Pattern No.	5
Brand name:	ELKO
Product information	Model RS16/5 I, <sup>flush</sup> surface type, thermoplastic, screw terminals, with or without claw fixing, with or without pilot lamp, IP20, IP44 when single or double IP44 set is used, RS or PLUS design, all colours.

*This Certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorized to permit copying or distribution of this certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.*



Intertek  
Appendix

Reference No. 1221724

Type designation	14001
Rated voltage (V)	16-10x250V AC
Pattern No.	6.2
Brand name:	ELKO
Product information	Model RS16/6.2 I, flush type, thermoplastic, screw terminals, with or without claw fixing, with or without pilot lamp, IP20, IP44 when single or double IP44 set is used, RS or PLUS design, all colours.
Type designation	14001
Rated voltage (V)	16-10x250V AC
Pattern No.	6+6
Brand name:	ELKO
Product information	Model RS16/6+6 I, flush type, thermoplastic, screw terminals, with or without claw fixing, with or without pilot lamp, IP20, IP44 when single or double IP44 set is used, RS or PLUS design, all colours.
Type designation	14001
Rated voltage (V)	16-10x250V AC
Pattern No.	7
Brand name:	ELKO
Product information	Model RS16/7 I, flush type, thermoplastic, screw terminals, with or without claw fixing, with or without pilot lamp, IP20, IP44 when single or double IP44 set is used, RS or PLUS design, all colours.
Type designation	14001
Rated voltage (V)	16-10x250V AC
Pattern No.	2
Brand name:	ELKO
Product information	Model RS16/2av/på I, flush type, thermoplastic, screw terminals, with or without claw fixing, with or without pilot lamp, IP20, IP44 when single or double IP44 set is used, RS or PLUS design, all colours.

*This Certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorized to permit copying or distribution of this certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.*



## Intertek Appendix

Reference No. 1221724

Type designation	14001
Rated voltage (V)	16-10x250V AC
Pattern No.	2M
Brand name:	ELKO
Product information	Model RS16/2M I, flush type, thermoplastic, screw terminals, with or without claw fixing, with or without pilot lamp, IP20, IP44 when single or double IP44 set is used, RS or PLUS design, all colours.
Type designation	14001
Rated voltage (V)	16-10x250V AC
Pattern No.	1
Brand name:	ELKO
Product information	Model H16/1 I, flush type, thermoplastic, screwless terminals, with or without claw fixing, with or without pilot lamp, IP20, IP44 when single or double IP44 set is used, RS or PLUS design, all colours.
Type designation	14001
Rated voltage (V)	16-10x250V AC
Pattern No.	2
Brand name:	ELKO
Product information	Model H16/2 I, flush type, thermoplastic, screwless terminals, with or without claw fixing, with or without pilot lamp, IP20, IP44 when single or double IP44 set is used, RS or PLUS design, all colours.
Type designation	14001
Rated voltage (V)	16-10x250V AC
Pattern No.	5
Brand name:	ELKO
Product information	Model S16/5 VP, surface type, thermoplastic, screw terminals, IP55, all colours.

*This Certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorized to permit copying or distribution of this certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.*



Intertek  
Appendix

Reference No. 1221724

Type designation 14001  
Rated voltage (V) 16-10x250V AC  
Pattern No. 7  
Brand name: ELKO  
Product information Model RS16/7 P, surface type, thermoplastic, screw terminals, IP20, IP21 when screen type L3112 is used, RS design, all colours.

Type designation 14001  
Rated voltage (V) 16-10x250V AC  
Pattern No. 6  
Brand name: ELKO  
Product information Model S16/6 VP, surface type, thermoplastic, screw terminals, IP55, all colours.

Type designation 14001  
Rated voltage (V) 16-10x250V AC  
Pattern No. 6.2  
Brand name: ELKO  
Product information Model S16/6.2 VP, surface type, thermoplastic, screw terminals, IP55, all colours.

Type designation 14001  
Rated voltage (V) 16-10x250V AC  
Pattern No. 6+6  
Brand name: ELKO  
Product information Model S16/6+6 VP, surface type, thermoplastic, screw terminals, IP55, all colours.

*This Certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorized to permit copying or distribution of this certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.*



Intertek  
Appendix

Reference No. 1221724

Type designation	14001
Rated voltage (V)	16-10x250V AC
Pattern No.	1
Brand name:	ELKO
Product information	Model RS16/1impr I, flush type, thermoplastic, screw terminals, with or without claw fixing, with or without pilot lamp, IP20, IP44 when single or double IP44 set is used, RS or PLUS design, all colours.
Type designation	14001
Rated voltage (V)	16-10x250V AC
Pattern No.	2
Brand name:	ELKO
Product information	Model RS16/2 I, flush type, thermoplastic, screw terminals, with or without claw fixing, with or without pilot lamp, IP20, IP44 when single or double IP44 set is used, RS or PLUS design, all colours.
Type designation	14001
Rated voltage (V)	16-10x250V AC
Pattern No.	1+1+1
Brand name:	ELKO
Product information	Model RS16/1+1+1 I, flush type, thermoplastic, screw terminals, with or without claw fixing, with or without pilot lamp, IP20, IP44 when single or double IP44 set is used, RS or PLUS design, all colours.
Type designation	14001
Rated voltage (V)	16-10x250V AC
Pattern No.	7
Brand name:	ELKO
Product information	Model S16/7 VP, surface type, thermoplastic, screw terminals, IP55, all colours.

*This Certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorized to permit copying or distribution of this certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.*





## Intertek Appendix

Reference No. 1221724

Type designation	14001
Rated voltage (V)	16-10x250V AC
Pattern No.	1+1+1
Brand name:	ELKO
Product information	Model H16/1+1+1 I, flush type, thermoplastic, screwless terminals, with or without claw fixing, with or without pilot lamp, IP20, IP44 when single or double IP44 set is used, RS or PLUS design, all colours.
Type designation	14001
Rated voltage (V)	16-10x250V AC
Pattern No.	5
Brand name:	ELKO
Product information	Model H16/5 I, flush type, thermoplastic, screwless terminals, with or without claw fixing, with or without pilot lamp, IP20, IP44 when single or double IP44 set is used, RS or PLUS design, all colours.
Type designation	14001
Rated voltage (V)	16-10x250V AC
Pattern No.	6
Brand name:	ELKO
Product information	Model H16/6 I, flush type, thermoplastic, screwless terminals, with or without claw fixing, with or without pilot lamp, IP20, IP44 when single or double IP44 set is used, RS or PLUS design, all colours.
Type designation	14001
Rated voltage (V)	16-10x250V AC
Pattern No.	2
Brand name:	ELKO
Product information	Model RS16/2av/på P, surface type, thermoplastic, screw terminals, IP20, IP21 when screen type L3112 is used, RS design, all colours.

*This Certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorized to permit copying or distribution of this certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.*



# Intertek Appendix

Reference No. 1221724

Type designation 14001  
Rated voltage (V) 16-10x250V AC  
Pattern No. 6.2  
Brand name: ELKO  
Product information Model H16/6.2 I, flush type, thermoplastic, screwless terminals, with or without claw fixing, with or without pilot lamp, IP20, IP44 when single or double IP44 set is used, RS or PLUS design, all colours.

Type designation 14001  
Rated voltage (V) 16-10x250V AC  
Pattern No. 6+6  
Brand name: ELKO  
Product information Model H16/6+6 I, flush type, thermoplastic, screwless terminals, with or without claw fixing, with or without pilot lamp, IP20, IP44 when single or double IP44 set is used, RS or PLUS design, all colours.

Type designation 14001  
Rated voltage (V) 16-10x250V AC  
Pattern No. 7  
Brand name: ELKO  
Product information Model H16/7 I, flush type, thermoplastic, screwless terminals, with or without claw fixing, with or without pilot lamp, IP20, IP44 when single or double IP44 set is used, RS or PLUS design, all colours.

Type designation 14001  
Rated voltage (V) 16-10x250V AC  
Pattern No. 6  
Brand name: ELKO  
Product information Model H16/6NK I, flush type, thermoplastic, screw terminals, with or without claw fixing, with or without pilot lamp, IP20, IP44 when single or double IP44 set is used, RS or PLUS design, all colours.

*This Certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorized to permit copying or distribution of this certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.*



Intertek  
Appendix

Reference No. 1221724

Type designation	14001
Rated voltage (V)	16-10x250V AC
Pattern No.	6.2
Brand name:	ELKO
Product information	Model H16/6.2NK I, flush type, thermoplastic, screw terminals, with or without claw fixing, with or without pilot lamp, IP20, IP44 when single or double IP44 set is used, RS or PLUS design, all colours.
Type designation	14001
Rated voltage (V)	16-10x250V AC
Pattern No.	2
Brand name:	ELKO
Product information	Model H16/2NK I, flush type, thermoplastic, screw terminals, with or without claw fixing, with or without pilot lamp, IP20, IP44 when single or double IP44 set is used, RS or PLUS design, all colours.
Type designation	14001
Rated voltage (V)	16-10x250V AC
Pattern No.	1
Brand name:	ELKO
Product information	Model RS16/1 P, surface type, thermoplastic, screw terminals, IP20, IP21 when screen type L3112 is used, RS design, all colours.
Type designation	14001
Rated voltage (V)	16-10x250V AC
Pattern No.	1
Brand name:	ELKO
Product information	Model RS16/1impr P, surface type, thermoplastic, screw terminals, IP20, IP21 when screen type L3112 is used, RS design, all colours.

*This Certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorized to permit copying or distribution of this certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.*



Intertek  
Appendix

Reference No. 1221724

Type designation 14001  
Rated voltage (V) 16-10x250V AC  
Pattern No. 2  
Brand name: ELKO  
Product information Model RS16/2 P, surface type, thermoplastic, screw terminals, IP20, IP21 when screen type L3112 is used, RS design, all colours.

Type designation 14001  
Rated voltage (V) 16-10x250V AC  
Pattern No. 1+1+1  
Brand name: ELKO  
Product information Model RS16/1+1+1 P, surface type, thermoplastic, screw terminals, IP20, IP21 when screen type L3112 is used, RS design, all colours.

Type designation 14001  
Rated voltage (V) 16-10x250V AC  
Pattern No. 2M  
Brand name: ELKO  
Product information Model RS16/2M P, surface type, thermoplastic, screw terminals, IP20, IP21 when screen type L3112 is used, RS design, all colours.

Type designation 14001  
Rated voltage (V) 16-10x250V AC  
Pattern No. 5  
Brand name: ELKO  
Product information Model RS16/5 P, surface type, thermoplastic, screw terminals, IP20, IP21 when screen type L3112 is used, RS design, all colours.

*This Certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorized to permit copying or distribution of this certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.*

**Intertek  
Appendix***Reference No. 1221724*

*Type designation* 14001  
*Rated voltage (V)* 16-10x250V AC  
*Pattern No.* 6  
*Brand name:* ELKO  
*Product information* Model RS16/6 P, surface type, thermoplastic, screw terminals, IP20, IP21 when screen type L3112 is used, RS design, all colours.

*Type designation* 14001  
*Rated voltage (V)* 16-10x250V AC  
*Pattern No.* 6.2  
*Brand name:* ELKO  
*Product information* Model RS16/6.2 P, surface type, thermoplastic, screw terminals, IP20, IP21 when screen type L3112 is used, RS design, all colours.

*Type designation* 14001  
*Rated voltage (V)* 16-10x250V AC  
*Pattern No.* 1  
*Brand name:* ELKO  
*Product information* Model H16/1 P, surface type, thermoplastic, screwless terminals, IP20, IP21 when screen type L3112 is used, RS design, all colours.

*Type designation* 14001  
*Rated voltage (V)* 16-10x250V AC  
*Pattern No.* 1  
*Brand name:* ELKO  
*Product information* Model H16/1impr P, surface type, thermoplastic, screwless terminals, IP20, IP21 when screen type L3112 is used, RS design, all colours.

*This Certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorized to permit copying or distribution of this certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.*



**Intertek  
Appendix**

Reference No. 1221724

Type designation 14001  
Rated voltage (V) 16-10x250V AC  
Pattern No. 2  
Brand name: ELKO  
Product information Model H16/2 P, surface type, thermoplastic, screwless terminals, IP20, IP21 when screen type L3112 is used, RS design, all colours.

Type designation 14001  
Rated voltage (V) 16-10x250V AC  
Pattern No. 1+1+1  
Brand name: ELKO  
Product information Model H16/1+1+1 P, surface type, thermoplastic, screwless terminals, IP20, IP21 when screen type L3112 is used, RS design, all colours.

Manufacturing site(s) Elko AS  
Sporpind Industriområde  
3341 Åmot  
Norway

This certificate, which includes production control, is considered to constitute sufficient support for an EC Declaration of Conformity and CE marking of the product according to the Low Voltage Directive 2006/95/EC.

This certificate is based on a certificate with ref. No. P12215377 dated 30 April 2012, issued by Nemko according to the Nordic Certification Service Agreement.

Certification Body Intertek Semko AB, Product Certification Place Kista - Stockholm

Signed  Date 18 October 2012  
Bo Berglöf

*This Certificate is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorized to permit copying or distribution of this certificate and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.*